



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY—Continued.

Weekly mortality table, foreign and insular cities—Continued.

Cities.	Week ended—	Estimated population.	Total deaths from all causes.	Deaths from—										
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.
Mexico ¹	Jan. 14	500,000	376						29					
Do. ¹	Jan. 21		411						26					
Do.....	June 24	719,052	397						22					
Monterey.....	July 9	100,000	58	3									1	
Do.....	July 16		70	4						3	5			
Montreal.....	July 22	450,000	230	10						2		2		4
Moscow.....	July 1	1,500,000	1,143	73				6	10	12	17	7	25	6
Munich.....	July 8	597,000	161	29								1	1	3
Newcastle-on-Tyne.....	do.	267,261	81									2	2	1
Do.....	July 15		75	7								2		
Nottingham.....	July 8	259,942	63								1		3	1
Nuevo Laredo.....	July 15	8,000		1						1				
Odessa.....	July 1	546,000	213	27					1		2	1	1	1
Ottawa.....	July 22	86,000	45	2								1		
Para.....	July 8	185,000	75	4					1					
Patras.....	July 9	40,000	24											
Do.....	July 16		23	1						1				
Port Elizabeth.....	June 17	30,692	13	1						3				1
Do.....	June 24		21	4										1
Prague.....	July 8	235,556	76	10										2
Rotterdam.....	July 15	431,330	102								1		1	
Saigon.....	June 4	206,000	20			6		6						
Do.....	June 11		21		15			6						
St. Johns, N. F.....	July 22	32,000										1		
St. Petersburg.....	July 1	1,907,708	749	85				1	1	8	11	10	39	7
San Luis Potosi.....	do.	82,946	71	5				6		2			1	2
Sarnia.....	July 22	9,810	3							1				
Shanghai.....	June 18	492,000	111	21								1		
Do.....	June 25		133	19				2						
Do.....	July 2		109	9								1		
Sheffield.....	July 8	454,653	108	7								1	1	1
Do.....	July 15		91	8						1	2		4	
South Shields.....	do.	108,844	28	5									1	
Stettin.....	July 8	234,033	78	6										
Tampico.....	July 10	23,452	42	7				1				1		
Tarragona.....	July 15	23,150	9											
Trieste.....	July 8	229,499	97								2			
Turin.....	do.	401,555	155	27						2			4	1
Do.....	July 15		129	20						2				3
Valencia.....	July 8	240,000	79	6						1				
Do.....	July 15		81	4				1		1				
Vienna.....	June 24	2,047,968	646	104						1	6	2	12	4
Do.....	July 1		565	112						1	5	3	4	2
Zanzibar.....	June 21	75,000	39	4				3		1				

¹ Received out of date.MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES
(untabulated).

AUSTRALIA—*Fremantle*.—Month of April, 1911. Population, 20,000. Total number of deaths from all causes 104, including measles 2, typhoid fever 6.

Newcastle.—Month of May, 1911. Population, 65,500. Total number of deaths from all causes, 50; including diphtheria 2, scarlet fever 1, tuberculosis 2, typhoid fever 1.

BRAZIL—*Pernambuco*.—Month of May, 1911. Population, 210,000. Total number of deaths from all causes 779, including smallpox 163, tuberculosis 64, typhoid fever 2.

CHILE—*Punta Arenas*.—Month of April, 1911. Population, 12,000. Total number of deaths from all causes 36, including tuberculosis 3.

FRANCE—*Marseille*.—Month of June, 1911. Population, 550,619. Total number of deaths from all causes 869, including diphtheria 2, measles 41, scarlet fever 1, tuberculosis 153, typhoid fever 17.

Roubaix.—Month of June, 1911. Population, 122,154. Total number of deaths from all causes 144, including measles 1, tuberculosis 17, typhoid fever 1.

GREAT BRITAIN.—Week ended July 8, 1911.

England and Wales.—The deaths registered in 77 great towns correspond to an annual rate of 12 per 1,000 of the population, which is estimated at 16,157,797.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 14.2 per 1,000 of the population, which is estimated at 1,149,495. The lowest rate was recorded at Drogheda, viz, 8.4, and the highest at Wexford, viz, 36.4, per 1,000.

Scotland.—The deaths registered in 8 principal towns correspond to an annual rate of 14.6 per 1,000 of the population, which is estimated at 1,171,291. The lowest rate was recorded at Perth, viz, 8.7, and the highest at Greenock, viz, 19.4, per 1,000. The total number of deaths from all causes was 477, including diphtheria 7, measles 14, scarlet fever 2.

MALTA.—Two months ended July 1, 1911. Population, 213,395. Total number of deaths from all causes 147, including measles 13, tuberculosis 9, typhoid fever 3.

RUSSIA—*Riga*.—Month of April, 1911. Population, 355,000. Total number of deaths from all causes 636, including diphtheria 10, measles 7, scarlet fever 11, smallpox 10, typhoid fever 2, typhus fever 1.

SPAIN—*Madrid*.—Month of June, 1911. Population, 613,436. Total number of deaths from all causes 937, including diphtheria 5, measles 30, scarlet fever 1, smallpox 1, tuberculosis 141, typhoid fever 1, typhus fever 1.

Seville.—Month of June, 1911. Population, 158,235. Total number of deaths from all causes 567, including diphtheria 3, measles 33, smallpox 2, tuberculosis 74, typhoid fever 2.

TAHITI.—Three weeks ended June 23, 1911. Population, 4,000. Total number of deaths from all causes 8, including tuberculosis 1.

VENEZUELA—*La Guaira*.—Two weeks ended June 30, 1911. Population, 10,000. Total number of deaths from all causes 15, including tuberculosis 5, typhoid fever 1.

By authority of the Secretary of the Treasury:

WALTER WYMAN,

Surgeon General,

United States Public Health and Marine-Hospital Service.